OET PRACTICE TESTS LISTENING 1



Get there faster.



Listening Test: Part A

Instructions

TIME LIMIT: 22 MINUTES

In this part of the test, you will hear an occupational therapist talking to Chris, a man who has had a hand injury.

You will hear the consultation **ONCE ONLY**, in sections.

As you listen, you must make notes about the consultation using the headings given on the answer paper.

You must give as much relevant information as you can under each of the headings provided. You may write as you listen, and there will be pauses during the consultation for you to complete your notes under the relevant heading, and to read the following heading.

There will also be two minutes at the end of the test for you to check your answers.

Give your answers in **NOTE FORM**. Do not waste time writing full sentences.

Now look at Question 1. Question 1 has been done for you.

- 1. Initial details of Chris' medical problem
 - injured right hand
 - injury occurred a few months ago
 - right-handed
- 2. Chris's medical history
 - ______
- 3. Chris's exercise, work and hobbies

•	
•	
•	
•	
•	
•	
•	
•	

4. Background of the hand injury and immediate treatment


Details of the hand injury incident

•	•	
_		
•	•	

Details of what happened next

•		
•		
•		
•		
•		
•		
•		
-		

5. Initial follow-up therapy



6. Chris's current concerns



7. Katrina's examination and advice about Chris's scar

•	
•	
•	
•	
•	
•	
•	
•	

8. Chris's grip strength


Chris's comments before examination

•_____

Katrina's comments after examination

• ______

9. Chris's swelling



10. Katrina's recommendations for the future

•_____

PAUSE - 30 SECONDS

END OF PART A

TURN OVER FOR PART B

Listening Test: Part B

Instructions

TIME LIMIT: 25 MINUTES

In this part of the test, you will hear an occupational therapist talking to Chris, a man who has had a hand injury.

You will hear the consultation **ONCE ONLY**, in sections.

As you listen, you must make notes about the consultation using the headings given on the answer paper.

You must give as much relevant information as you can under each of the headings provided. You may write as you listen, and there will be pauses during the consultation for you to complete your notes under the relevant heading, and to read the following heading.

There will also be two minutes at the end of the test for you to check your answers.

Give your answers in **NOTE FORM**. Do not waste time writing full sentences.

Now look at Question 1. Question 1 has been done for you.

1. Fill in the gaps (done as an example).

• The speaker is an <u>endocrinologist</u> with a special interest in the menopause, its endocrinology and its management.

• The topic the speaker plans to talk about today is *menopause management*.

2. Correct teach sentence by crossing out the wrong word (e.g., wrong) and writing the word the speaker used on the line directly below.

You must cross out and write <u>ONE WORD ONLY</u>. The first answer has been done for you as an example.

The menopause is the onset of menstruation due to loss of ovarian follicular function. [example]

cessation_

The major hormonal event is that the ovaries rapidly stop making the main estrogen, estradiol.

The levels of estradiol in the blood fall by more than 80 per cent.

That fall may precipitate a variety of symptoms

About 20 per cent of women have mild, if any, symptoms.

And 20 per cent have symptoms which severely impact their quality of health.

- 3. Answer the questions below according to the information given by the speaker.
 - 1. What does he mention as the gold standard treatment?
 - 2. Where was the study conducted?
 - 3. How many randomised control trials were there?
 - 4. What did the study focus on?
 - 5. Which two medical conditions did the research address?
- 4. Complete the following sentences.
 - 1. The trial involved in total about ...
 - 2. Typically women who would be considered for hormone therapy are aged ...
 - 3. The trial therefore did not address ...
 - 4. The first major result was the treatment ...

5. This result was frightening but also ...

6. The second result was surprising because previous research has suggested hormone therapy ...

5. Complete the following lecture notes.

Analysis of non-trial data: Risk		
<u>Source</u>		
Published in 19, in The Lancet		
Conclusions		
Of 1000 women aged 50 to 70		
Without any treatment:		
About would develop breast cancer.		
With treatment:		
Two more develop breast cancer after		
after ten years.		
Twelve more after or more years		
Absolute of 1.2%		
Increased risk similar to:		
Drinking more than two glasses of alcohol per day Being		
Having the first period before the age of 12 Having last period		
Treatment type:		
Risk less for therapy than therapy.		

6. Complete the gaps in the summary.

7. Complete the following diagram.

Menopause symptoms	Urogenital atrophy	
 - night sweats - sleep disturbances	 - uncomfortable sexual intercourse frequency	
- - irritability - nervousness -	and	



Prevention and treatment of

8. Complete the gaps in the following table.

Hormone Therapy Medication

Treatment/medication	Details and dosage (in mg per day unless otherwise stated)
Estrogen (Estradiol)	orally (micrograms) transfermal patch skin gel
Conjugated equine estrogen	
Sequential progesterone (not taken daily)	norethisterone acetate medroxyprogesterone acetate cyproterone acetate

Combined continued	Same dose of estrogen	
therapy	Half the dose of progestin	
	Additional progestins:	
	drospirenone norethisterone acetate medroxyprogesterone acetate no dose given intrauterine releasing local progestin/Myrena or(Tibolone)	

9. Complete the gaps in the following information card.

	Tibolone	
Use:		
	For women whose last menstrual period finished more than one or two years ago An alternative to combined continuous hormone therapy	
Descrip	otion:	
•	A synthetic steroid precursor molecule metabolised in a fashion.	
Effective for:		
•	Control of symptoms	
•	Improving sexual function	
Further advantages:		
•	Doesn't cause much Doesn't increase breast density at mammography Prevents Decreases fracture risk May reduce Doesn't increase risk of	

Potential negative aspect:

• (In older women) increases risk of ______.

10. Choose the BEST answer according to the information given by the speaker.

1 The use of ongoing hormone therapy...

A is not recommended for more than a year. B is becoming less common.

C is decided by the patient's well-being.

2 In healthy menopausal women certain types of HRT can <u>significantly increase</u> the risk of

A venous thromboembolism. B stroke. C coronary heart disease.

3 Which of the following might significantly increase the risk of breast cancer?

A Surgical menopause. B The time since menses ended. C Initial use of combined hormone therapy.

4 The risk of breast cancer could be linked to ...

The risk of breast cancer could be linked to ...

A the duration of progestin use. B the kind of progestin in use. C how the progestin is administered.

END OF PART B.

You now have 2 minutes to check your answers.

END OF LISTENING TEST

Listening Answer Keys

Practice Test 1- Part A & B

The following marking guide is intended to be as comprehensive as possible, but the answers provided here and in a real OET exam are not the only possible way in which a candidate may phrase their response to questions.

There may be acceptable variations, especially technical terms and abbreviations (common in medical case notes and histories and elsewhere). Some of these have already been included as alternatives in the marking guide, but others may also occur. As long as the idea is the same and clearly written; a mark will be given.

The essential point to keep in mind is whether an answer indicates an appropriate response to the question, not whether it follows the suggested answer exactly.

The following convents have been following in preparing these answers:

- / Indicates an acceptable alternative within an answer
- **OR** Indicates an acceptable (complete) alternative answer
- AND Indicates that more than one piece of information is required
- () Indicates words, figures, or ideas in brackets are *not* essential to the answer they are also not a sufficient substitute for the main idea indicated in the answer key.
- vital Underlined words in **boldface** are essential to the answer.
- **NOT** Indicates an unacceptable answer or part of an answer

Answer Key Part A

Total marks: 65 marks

Question 1 Initial details of Chris's medical problems

(Done for candidate as model)

Question 2 Chris' medical history

1 mark for each of the following

2a (Previous) hip surgery (10 years ago)
2b broke part/top (part) of hip
2c three bolts (through there/hip)
2d right knee surgery/arthroscopy/arthroscope **OR** removal of tissue from right knee
2e no diabetes
2f No high blood pressure/HBP
2g No regular medication/medicine

Question 3 Chris' medical history

1 mark for each of the following

3a (tries to) / exercise(s) frequently/regularly
3b walking
3c bike riding OR cycling
3d gardening
3e self employed OR business consulting (in accounting software)
3f (work involves) lots of typing/writing/computer use OR high computer use job
3g scuba diving
3h (plays) flute)

Question 4 Background of the hand injury and immediate treatment

1 mark for each of the following

Details of the hand injury incident

4a four months ago 4b fractured fourth metacarpal (bone) 4c (injury sustained) drilling (brick wall) **OR** drill twisted arm **OR** drill pushed arm

Details of the hand injury incident

4d (went to) outpatients/emergency/hospital (at weekend)
4e (told it) wasn't/not broken
4f (felt injured/something wrong so/then) saw/went to (his) GP (early in the week)
4g (sent for) x-ray
4h (found) <u>spiral</u> fracture (in that bone)

4i (had) surgery **OR** went to orthopaedic surgeon 4j plate and/with <u>three</u> screws **OR** <u>three</u> screws in (the) plate

Question 5 Initial follow-up therapy

1 mark for each of the following

5a (couple, 2 or 3) physio(therapy) sessions
5b splint
5c (physio involved) <u>gripping</u> soft plastic/material OR <u>gripping</u> exercises
5d discharged (from treatment) OR no longer seeing (hand surgeon)

Question 6 Chris's current concerns

1 mark for each of the following

6a <u>raised</u>scar

6b lump on scar **OR** lump down the end of scar 6c difficulty lifting things **OR** couldn't lift scuba tanks 6d no power in wrist (to lift things) **OR** not enough power 6e notices more lifting heavy/heavier things OR can't lift heavy/heavier things 6f might drop (small) things/glass **OR** not enough grip **OR** can't grip properly **OR** (worried about) gripping) 6g (hand) swollen in morning(s) 6h (has to) exercise/move fingers **OR** hand exercises (every morning) 6i still (feels) swollen during the day **OR** never feels (exactly) right OR never 100%

Question 7 Katrina's examination and advice about Chris's scar

1 mark for each of the following

7a red and raised (scar) **OR** lump

7b no previous advice (from hand therapist)

7c normal scar tissue

7d 12 months (for scar tissue) to mature/settle **OR** will be red(ness)/raised for 12 months 7e massage (scar) with sorbolene/vitamin E) cream **OR** cream/massage to soften (scar/hard collagen)

7f (lump is) fracture callus **OR** (lump is) excess bone

7g 12 months (for lump to) decrease OR 12 month process

7h (will) always (have) a bit of lump OR (lump) will not go/disappear completely

Question 8 Chris's grip strength

1 mark for each of the following

Chris's comments before examination

8a (grip strength) previously measured but can't remember 8b not doing strengthening exercises as much as before **OR** not doing much (grip strength) exercise.

Katrina's comments after examination

8c left (hand) (about) 48 kilos/kg and right (hand) (down to) 34 OR less strength in right hand
8d should be 10% more (grip strength) in <u>dominant</u> (hand)
8e go back to (strengthening) exercises
8f use spring grip OR use tool that requires pressure
8g (about) 30-50) repetitions/grippings/reps four times per day
8h should be fatigued (by end of it) OR should find/feel you've done (a bit of) a work out

Question 9 Chris's swelling

1 mark for each of the following

9a reduced (range of) motion OR (swelling) reducing (range of) motion
9b (swelling is) normal after surgery ORIF/open reduction internal fixation
9c 12 months to decrease/go down
9d (due to) soft tissue trauma
9e moving/exercises fine OR fine how it's being managed (at the moment) OR exercises should reduce swelling
9f (consider) compression glove in a few months/at a later stage/if it's still a problem
9g cold water sometimes/might (NOT will) help
9h no pain

Question 10 Katrina's recommendations for the future

1 mark for each of the following

10a get stuck into exercises **OR** work hard on (grip strengthening) exercises **OR** do exercises 10b visit (again)/follow-up/come back in 2-3 weeks

10c if no difference (in two or three weeks), (will) change exercise programs

Answer Key Part A

Total marks: 65 marks

Question 1

(Done for candidate as model)

Question 2

1 mark for each of the following (in the order shown)

2a rapidly AND gradually 2b 80 **AND** 90 2c variety AND number 2d mild **AND** few 2e health **AND** life

Question 3

1 mark for each of the following (in the order shown with 3e & 3f in any order)

3a estrogen treatment 3b USA/U.S./America/United States of America 3c two 3d hormone (replacement) therapy **OR** H(R)T 3e cardiovascular disease 3f breast cancer/BrCa

Question 4

1 mark for each of the following (in the order shown)

4a 16,000 women
4b 45-55 (years)
4c (the) typical/usual target group/population
4d increase breast cancer <u>risk</u>
4e 26% (NOTE: mark items 4d and 4e correct if written in one space with either no answer or incorrect answer in the other space)
4f misleading
4g was cardio protective OR decreased cardiovascular risk

Question 5

1 mark for each of the following (in the order shown)

5a 97 5b 45 <u>(NOT per cent)</u> 5c 5 <u>years</u> 5d 6 <u>more</u> 5e 15 5g risk increase OR increased risk 5g overweight/obese 5h over/after (the age of) 55 (years) 5i estrogen 5j combined

Question 6

1 mark for each of the following (in the order shown)

6a observational 6b overall statement 6c none (at all) **OR** zero 6d five 6e consideration

Question 7

1 mark for each of the following (in the order shown with 7a, 7b, 7c in any order)

7a hot flushes/flashes 7b fatigue 7c depressed mood **OR** depression 7d vaginal dryness 7e urinary 7f urgency 7g **post-menopausal** osteoporosis

Question 8

1 mark for each of the following (in the order – fractions or decimals accepted)

8a 0.5 – 1 8b 25-37.5 8c 0.5 8d 0.3 – 0.45 8e 0.7 8f 5-10 8g 1 8h 2 8i 0.35 8j 2.5-5 8k 1.25 **AND** 2.5 (both answers are needed to give one mark, in any order)

Question 9

1 mark for each of the following (in the order shown)

9a tissue specific 9b vaginal atrophy 9c breast discomfort 9d bone loss 9e (breast) cancer risk 9f thromboembolism 9g stroke

Question 10

1 mark for each of the following (in the order shown)

10a C 10b A 10c B 10d B

END OF MARKING GUIDE.